



UNIVERSAL SINGLE CIRCUIT TRACK & ACCESSORIES STR4800


Single circuit track universal HALO type

Application

Designed for decorative and creative retail applications











Design Specifications

- Extruded aluminium profile, with quality powder coated finish
- Length 1 m or 2 m
- Complete with end cap and live end
- Track components: Straight joiner, Live end, Live centre feed, L-shaped joiner, T-shaped joiner, Cross joiner, Track joiner, Suspension kit
- Rating: TOTAL track capacity 10A, maximum (mass) load limit per track adaptor is 2kg




Technical Specification

| Product | Model No. | Input Voltage (V/AC) | Body Colour | Dim (mm) |
|---------|--------------|----------------------|-------------|----------|
| | STR4800/1 WH | 240 | WHITE | 1000(L) |
| | STR4800/1 BK | 240 | BLACK | 1000(L) |
| | STR4800/2 WH | 240 | WHITE | 2000(L) |
| | STR4800/2 BK | 240 | BLACK | 2000(L) |
| | STR4801 WH | 240 | WHITE | |
| | STR4801 BK | 240 | BLACK | |
| | STR4802 WH | 240 | WHITE | |
| | STR4802 BK | 240 | BLACK | |


| Product | Model No. | Input Voltage (V/AC) | Body Colour | Dim (mm) |
|---|------------|----------------------|-------------|----------|
|  | STR4803 WH | 240 | WHITE | |
|  | STR4803 BK | 240 | BLACK | |
|  | STR4804 WH | 240 | WHITE | |
|  | STR4804 BK | 240 | BLACK | |
|  | STR4805 WH | 240 | WHITE | |
|  | STR4805 BK | 240 | BLACK | |
|  | STR4806 WH | 240 | WHITE | |
|  | STR4806 BK | 240 | BLACK | |
|  | STR4808 WH | 240 | WHITE | |
|  | STR4808 BK | 240 | BLACK | |

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions




SINGLE CIRCUIT TRACK DIAGRAM



WHO NEEDS AN OLD TIMER CONTROL.

PIXIE SMART GPO IS SMARTER THAN THE REST.

MULTIFUNCTION
CONTROL



For more
information
please
scan me

